FIBER CLASSIFIER

(BAUER Mc NETT TYPE)

CATALOGUE NO.: GEC-P40310

Fiber Classifier is designed for investigating the fiber length distribution in pulp.

The Fiber Classifier segregates a fiber sample into groups of different lengths to allow the proportion of each group to be measured, by weight. Uniform operation is assured by a constant flow of water through the stainless steel inlet system.



APPLICABLE STANDARDS:

TAPPI (T 233), SCAN (M-6)

Salient Features:

- Stainless steel water inlet system. The primary unit has an inlet funnel with an overflow and the nozzle for a constant water flow rate.
- Fractionating unit is completely self-contained having its own electric motor for the rotor and is made of non-corrosive material.
- Each unit is driven by its own waterproof motor to provide consistent agitation speed.
- Fibre collection box with rapid locking device, support wire and suction connection.
- Interchangeable screens are available with wire of 4, 6, 8, 10, 14, 20, 30, 50, 100 and 200 standard mesh.
- Screen Frames are clamped spring loaded self-clamping system.
- Classifier gives a very low spread in the results with a variation coefficient of less than 1%.

Global Engineering Corporation

Global Engineering Corporation



82,Ganga Sagar Scheme, 200 Feet Bypass, Sirsi Road, Jaipur-302021 Tel: +91-141-5179040,2470290, Fax: +91-141-5179040

> Email: sales@gecpaper.com Visit us at: www.gecpaper.com

© Copyright 2006 Global Engineering Corporation. Contact for the detail. Rev 00-0